

Refine Search

Search Results -

Terms	Documents
L7 or L5	103

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8



Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, January 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
<u>L8</u>	L7 or L5	103	<u>L8</u>
<u>L7</u>	L6 and L2	47	<u>L7</u>
<u>L6</u>	hsm	1170	<u>L6</u>
<u>L5</u>	L2 and L4	72	<u>L5</u>
<u>L4</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5)	1615	<u>L4</u>
	<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L3</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5)	897	<u>L3</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with (frequent\$6 or infrequent\$5)	2684	<u>L2</u>
<u>L1</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with less	9410	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and L10	12

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11



Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Sunday, January 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
<u>L11</u>	l8 and L10	12	<u>L11</u>
<u>L10</u>	L9 with ((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5))	383921	<u>L10</u>
<u>L9</u>	compres\$6	2138556	<u>L9</u>
<u>L8</u>	L7 or l5	103	<u>L8</u>
<u>L7</u>	L6 and l2	47	<u>L7</u>
<u>L6</u>	hsm	1170	<u>L6</u>
<u>L5</u>	l2 and L4	72	<u>L5</u>
<u>L4</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5)	1615	<u>L4</u>
	<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L3</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5)	897	<u>L3</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
	(mov\$5 or migrat\$5 or transfer\$5) with data with (frequent\$6 or		

L2 infrequent\$5)

2684 L2

L1 (mov\$5 or migrat\$5 or transfer\$5) with data with less

9410 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 and L17	34

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L18



Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Sunday, January 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
<u>L18</u>	l14 and L17	34	<u>L18</u>
<u>L17</u>	l15 or L16	7405	<u>L17</u>
<u>L16</u>	707/200-205.ccls.	6227	<u>L16</u>
<u>L15</u>	711/161-162.ccls.	1501	<u>L15</u>
<u>L14</u>	((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5)) with L13	693	<u>L14</u>
<u>L13</u>	file near5 (class\$2 or rank\$3)	6536	<u>L13</u>
<u>L12</u>	20020069324 or 20020120763 or 20030023713 or 20030056069 or 20030065898 or 20030046270 or 20040039891 or (5822780 or 6311252).pn.	18	<u>L12</u>
<u>L11</u>	l8 and L10	12	<u>L11</u>
<u>L10</u>	L9 with ((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5))	383921	<u>L10</u>
<u>L9</u>	compres\$6	2138556	<u>L9</u>

<u>L8</u>	L7 or l5	103	<u>L8</u>
<u>L7</u>	L6 and l2	47	<u>L7</u>
<u>L6</u>	hsm	1170	<u>L6</u>
<u>L5</u>	l2 and L4	72	<u>L5</u>
<u>L4</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=USPT; PLUR=NO; OP=ADJ</i>	1615	<u>L4</u>
<u>L3</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>	897	<u>L3</u>
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with (frequent\$6 or infrequent\$5)	2684	<u>L2</u>
<u>L1</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with less	9410	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L23 not L18	50

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L24



Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Sunday, January 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>		
<u>L24</u>	L23 not l18	50	<u>L24</u>
<u>L23</u>	l9 and L22	62	<u>L23</u>
<u>L22</u>	l17 and L21	204	<u>L22</u>
<u>L21</u>	((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5)) with (rank\$4 or class\$2)	64737	<u>L21</u>
<u>L20</u>	l18 and L19	1	<u>L20</u>
<u>L19</u>	20050203964	2	<u>L19</u>
<u>L18</u>	l14 and L17	34	<u>L18</u>
<u>L17</u>	l15 or L16	7405	<u>L17</u>
<u>L16</u>	707/200-205.ccls.	6227	<u>L16</u>
<u>L15</u>	711/161-162.ccls.	1501	<u>L15</u>
<u>L14</u>	((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5)) with L13	693	<u>L14</u>

<u>L13</u>	file near5 (class\$2 or rank\$3)	6536	<u>L13</u>
<u>L12</u>	20020069324 or 20020120763 or 20030023713 or 20030056069 or 20030065898 or 20030046270 or 20040039891 or (5822780 or 6311252).pn.	18	<u>L12</u>
<u>L11</u>	l8 and L10	12	<u>L11</u>
<u>L10</u>	L9 with ((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5))	383921	<u>L10</u>
<u>L9</u>	compres\$6	2138556	<u>L9</u>
<u>L8</u>	L7 or l5	103	<u>L8</u>
<u>L7</u>	L6 and l2	47	<u>L7</u>
<u>L6</u>	hsm	1170	<u>L6</u>
<u>L5</u>	l2 and L4	72	<u>L5</u>
<u>L4</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=USPT; PLUR=NO; OP=ADJ</i>	1615	<u>L4</u>
<u>L3</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>	897	<u>L3</u>
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with (frequent\$6 or infrequent\$5)	2684	<u>L2</u>
<u>L1</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with less	9410	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L26 not L18	10

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L27



Refine Search

Recall Text



Clear

Interrupt

Search History

 DATE: Sunday, January 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L27</u>	L26 not l18	10	<u>L27</u>
<u>L26</u>	l17 and L25	16	<u>L26</u>
<u>L25</u>	l21 same (age or threshold or factor or parameter)	3942	<u>L25</u>
<u>L24</u>	L23 not l18	50	<u>L24</u>
<u>L23</u>	l9 and L22	62	<u>L23</u>
<u>L22</u>	l17 and L21	204	<u>L22</u>
<u>L21</u>	((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5)) with (rank\$4 or class\$2)	64737	<u>L21</u>
<u>L20</u>	l18 and L19	1	<u>L20</u>
<u>L19</u>	20050203964	2	<u>L19</u>
<u>L18</u>	l14 and L17	34	<u>L18</u>
<u>L17</u>	l15 or L16	7405	<u>L17</u>
<u>L16</u>	707/200-205.ccls.	6227	<u>L16</u>

<u>L15</u>	711/161-162.ccls.	1501	<u>L15</u>
<u>L14</u>	((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5)) with L13	693	<u>L14</u>
<u>L13</u>	file near5 (class\$2 or rank\$3)	6536	<u>L13</u>
<u>L12</u>	20020069324 or 20020120763 or 20030023713 or 20030056069 or 20030065898 or 20030046270 or 20040039891 or (5822780 or 6311252).pn.	18	<u>L12</u>
<u>L11</u>	l8 and L10	12	<u>L11</u>
<u>L10</u>	L9 with ((mov\$5 or migrat\$5 or transfer\$5) or (backup or (back\$4 adj up) or archiv\$5))	383921	<u>L10</u>
<u>L9</u>	compres\$6	2138556	<u>L9</u>
<u>L8</u>	L7 or l5	103	<u>L8</u>
<u>L7</u>	L6 and l2	47	<u>L7</u>
<u>L6</u>	hsm	1170	<u>L6</u>
<u>L5</u>	l2 and L4	72	<u>L5</u>
<u>L4</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=USPT; PLUR=NO; OP=ADJ</i>	1615	<u>L4</u>
<u>L3</u>	(backup or (back\$4 adj up) or archiv\$5) with (frequent\$6 or infrequent\$5) <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>	897	<u>L3</u>
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with (frequent\$6 or infrequent\$5)	2684	<u>L2</u>
<u>L1</u>	(mov\$5 or migrat\$5 or transfer\$5) with data with less	9410	<u>L1</u>

END OF SEARCH HISTORY